

# CoreIP Technology Pvt. Ltd. CoreIP T43U

### A Well-Rounded SIP Phone for Clear Communications

The CoreIP T43U IP phone is a feature-rich business tool for excellent communications and extended functionality. It is a 12line IP phone that comes with a 3.7-inch large black-and-white screen and the EXP43 support. United CoreIP Optima HD Voice technology and wideband codec of Opus, the T43U awards you the superb audio quality and crystal-clear voice communications. The phone feels quicker and more responsive when performing call features. Moreover, the T43U puts dual USB ports in a phone that makes Bluetooth, Wi-Fi, USB headset and USB recording come true, and you can use any two of them freely according to your needs. The CoreIP new T4U series offers the same elegant appearance as the T4 line, but with improvements for greater interoperability and better collaboration.



Screen





Dual USB

Ports



Shield



Firmware



Gigabit







Expansion Opus Module Codec



# **Key Features and Benefits**

HD Voice

# Easy Customization and High Expansibility

Accompanied by two USB ports, the CoreIP T43U is your right-hand man in the office that makes Bluetooth, Wi-Fi, USB headset and USB recording possible, and you can use any two of them freely according to your needs to enrich phone features. Meanwhile, the phone not only has three pages of flexible buttons that can be easily programmed with 21 paperless DSS keys at most, but also can connect up to three expansion modules, for up to 180 additional buttons with a screen-based LCD display and LED system.

### HD Audio

CoreIP Optima HD Voice technology combines cutting-edge hardware and software with wideband technology for maximum acoustic performance. Being a totally open, highly versatile audio codec, Opus, is designed to perform a higher HD audio quality than other wideband codecs in a high network bandwidth; However, if your current network quality is poor, Opus can provide you with a better audio quality than other narrowband codecs. And its hearing aid compatible (HAC) handset helps the person who is with hearing loss to hear the voice more clearly.

## Efficient Installation and Provisioning

CoreIP T4U series supports efficient provisioning and effortless mass deployment with CoreIP's Redirection and Provisioning Service (RPS) and Boot mechanism to help you realize the Zero Touch Provisioning without any complex manual settings, which makes the T4U series simple to deploy, easy to maintain and upgrade. Furthermore, a unified firmware and auto-p template that applies to all T4U phone models, saves even more time and costs for businesses, as well as simplifies the management and maintenance.

## Secure Transport and Interoperability

CoreIP T4U series uses SIP over Transport Layer Security (TLS/SSL), which is the latest network security technology. It's also compatible with leading soft switch suppliers, such as 3CX, Broadsoft Broadworks. Moreover, it is carried with dual fimrware images that gives you a enterprise-level protection to avoid bricking your system once upgrade failed.

- 3.7" 360x160-pixel graphical LCD with backlight
- · Dual USB ports
- · Dual firmware images
- · Opus codec support
- T4U Auto-P template unified
- · T4U firmware unified
- · Up to 12 SIP accounts
- PoE support
- USB headset and EHS support
- Wi-Fi via WF40/WF50
- Bluetooth via BT40/BT41
- Supports color-screen expansion modules
- · Stand with 2 adjustable angles
- · Wall mountable





#### **Audio Features**

- HD voice: HD handset, HD speaker
- · Hearing aid compatible (HAC) handset
- · Acoustic Shield
- Wideband codec: AMR-WB (optional), Opus, G.722
- Narrowband codec: AMR-NB (optional), Opus, G.711(A/μ), G.723.1, G.729AB, G.726, iLBC
- DTMF: In-band, Out-of-band(RFC 2833) and SIP INFO
- Full-duplex hands-free speakerphone with AEC
- VAD, CNG, AEC, PLC, AJB, AGC

#### **Phone Features**

- 12 VoIP accounts
- · One-touch speed dial, redial
- Call forward, call waiting, call transfer, call hold
- Call return, group listening, emergency call
- · Mute, auto answer, DND, hoteline
- 5-way conference call
- Direct IP call without SIP proxy
- Ring tone selection/import/delete
- Set date time manually or automatically
- · Dial Plan, XML Browser, Action URL/URI
- RTCP-XR (RFC3611), VQ-RTCPXR (RFC6035)
- Dual USB ports (2.0 compliant)
- Bluetooth earphone through BT40/BT41
- Contact synchronization through BT40/BT41
- · Wi-Fi through WF40/WF50
- USB call recording through USB flash drive
- USB headset
- Expansion Module EXP43
- · Wireless Headset Adapter EHS40
- Enhanced DSS key

#### **IP-PBX Features**

- Busy Lamp Field (BLF), Bridged Line Apperance (BLA)
- Anonymous call, anonymous call rejection
- · Hot-desking, voice mail
- Flexible seating, Executive and Assistant
- Call park, call pickup
- Centralized call recording, call recording
- Visual voice mail

#### Display and Indicator

- 3.7" 360x160-pixel graphical LCD with backlight
- LED for call and message waiting indication
- Dual-color (red or green)
   illuminated LEDs for line status
   information
- Intuitive user interface with icons and soft keys
- Multilingual user interface
- Caller ID with name and number
- Power saving

#### Directory

- Local phonebook up to 1000 entries
- Black list
- XML/LDAP remote phonebook
- · Smart dialing
- · Phonebook search/import/export
- Call history: dialed/received/missed/forwarded

#### Feature keys

- 8 line keys with LED
- 8 line keys can be programmed up to 21 paperless DSS keys (3-page view)
- 5 features keys: message, headset, mute, redial,
- · hands-free speakerphone
- 4 context-sensitive "soft" keys
- 6 navigation keys
- 2 volume control keys
- Illuminated mute key
- · Illuminated headset key
- Illuminated hands-free speakerphone key

#### Interface & Other Physical Features

- Dual-port Gigabit Ethernet
- Power over Ethernet (IEEE 802.3af), Class 2
- 2 x USB port (2.0 compliant)
- 1 x RJ9 (4P4C) handset port
- 1 x RJ9 (4P4C) headset port
- Color: Classic Grey
- · Stand with 2 adjustable angles
- External CoreIP AC adapter (optional) : AC 100~240V input and DC 5V/1.2A output
- USB output currency: 5V 500mA
- Power consumption (PSU): 0.9-2.2W
- Power consumption (PoE): 1.5-3.2W
- Dimension (W\*D\*H\*T):
   224.9mm\*206.2mm\*174.9mm\*52mm
- · Operating humidity: 10~95%
- Operating temperature: -10~50°C (+14~122°F)

#### **Network and Security**

- SIP v1 (RFC2543), v2 (RFC3261)
- · Call server redundancy supported
- NAT traversal: STUN mode
- Proxy mode and peer-to-peer SIP link mode
- IP assignment: static/DHCP
- HTTP/HTTPS web server
- · Time and date synchronization using SNTP
- UDP/TCP/DNS-SRV(RFC 3263)
- QoS: 802.1p/Q tagging (VLAN), Layer 3 ToS DSCP
- SRTP for voice
- · Transport Layer Security (TLS)
- · HTTPS certificate manager
- AES encryption for configuration file
- · Digest authentication
- OpenVPN, IEEE802.1X
- IPv6
- LLDP/CDP/DHCP VLAN
- ICE


#### Management

- Configuration: browser/phone/autoprovision
- Auto provision via FTP/TFTP/HTTP/HTTPS for mass deploy
- · Auto-provision with PnP
- · Broadsoft device management
- Zero-sp-touch TR-069
- Phone lock for personal privacy protection
- · Reset to factory, reboot
- · Package tracing export, system log

#### **Package Features**

- Package content:
- CoreIP T43U IP phone
- Handset with handset cord
- Ethernet Cable (2m CAT-5E UTP Cable)
- Stand
- Quick Start Guide
- Power Adapter (Optional)
- Wall Mount Bracket (Optional)
- Qty/CTN: 5 PCS
- N.W/CTN: 6.0 kg
- G.W/CTN: 6.6 kg





### About CoreIP

To introduce ourselves we would like to call us a Technology company. A company that helps global organizations implement optimized/customised Telecom/IT solutions with simplicity, which is an absolute must for any organization for its successful growth. Our scope of expertise includes Unified Communications, Security solutions, Networking solutions and a lot Core IP's vision of the digital future is driven by the needs and aspirations of our customers and consumers around the country who are in need of latest technology every day. We share their dream to live a fuller life by providing ways of working smarter and enjoying the rewards of technological advanced solutions. As we move forward together with our customers into the uncharted future of the 21st century with the prospect of future technologies and systems yet to be thought of, Core IP's standards are still firmly grounded in the philosophy of company's directors. CoreIP promises to deliver best-in-class products and services, enhanced by extensive in house research and development capabilities.

# **Fore More Information**

Email: <u>info@coreip.co.in</u> Web: <u>www.coreip.co.in</u> <u>0120-6618000</u>

CoreIP Technology Pvt. Ltd.

Add: Block C-421, The i-thum , A-40, Sector- 62, Noida, UP, 201309

Email: <u>info@coreip.co.in</u>
Web: <u>www.coreip.co.in</u>