



NXG SERIES

Next Generation IP-PBX



neron

Transforming Communication Empowering Productivity

Telephony Solution for Modern Workspace



NXG SERIES IP-PBX

Neron NXG Series IP-PBX, next generation telephony solution designed to deliver advanced telephony capabilities for modern workspace and enable seamless integration with various communication endpoints, including SIP phones, WebRTC Client, Video Phone, softphones and mobile devices. With its user-friendly interface and intuitive management tools, NXG simplifies administration and configuration tasks to save time and effort. It also offers advanced security features, such as encryption and firewall protection, to ensure the confidentiality and integrity of your communications.

GIGA ETHERNET



Unleash the Power of Lightning-Fast Voice and Video Data Transfers with 4x GiGA Ethernet: 1x WAN, 2x LAN, and 1x IMS Port



ROUTER INBUILT

Seamless Connectivity and advanced routing capabilities with Inbuilt router features such as NAT, DNS, DHCP Client & Server, VLAN ..etc

HA - HIGH AVAILABILITY



To ensure uninterrupted service and increased reliability, all the models in NXG series support High Availability (HA).



WEBRTC

WebRTC supported extension and API for browser-based audio-video communication or seamless integration with any CRM application

FIREWALL



Connect OpenVPN-based SIP trunks offered by telco service providers or use it for secure branch office telephony network connectivity.



SIP DEFENCE

Seamless Connectivity and advanced routing capabilities with Inbuilt router features such as NAT, DNS, DHCP Client & Server, VLAN ..etc

OPEN VPN CLIENT



Connect OpenVPN-based SIP trunks offered by telco service providers or use it for secure branch office telephony network connectivity.



MQTT API

Unlock the potential with MQTT event API for IVR Broadcast, helpdesk solutions, Telephony Automation or 3rd party CTI integration.

PAGING & ANNOUNCEMENT



SIP-based paging & announcement system inbuilt which support one-way, two-way, and scheduled voice announcements .

CALL RECORDING



Call recording options to record all calls with flexibility in storage options USB, Share drive and inbuilt SD card .

BOSS-SECRETARY



Boss-Secretary call handling facilitates efficient communication and call management between a boss and their secretary or assistant.

EXTENSION GROUP



Manage user extension groups with incoming, outgoing restriction or communication between different groups in PBX system.

IVR - AUTO ATTANDENT



Welcome callers with Pre-recorded voice message and key press option using multi-layer multiple channel IVR feature .

PHONE BOOK



Manage intercom user or customer contact numbers and ensure their name and number display on incoming calls.

CALL QUEUE



ACD Call Queue feature for efficient call distribution, queue position announcement and custom MOH to enhance the caller experience

DISA



Allows authorised external callers/WFH user to access trunk or extension of the pbx without internet connectivity.

CONFERENCE BRIDGE



Welcome callers with Pre-recorded voice message and key press option using multi-layer multiple channel IVR feature .

TIME PROFILE



Manage intercom user or customer contact numbers and ensure their name and number display on incoming calls.

CALL BARGE-IN



ACD Call Queue feature for efficient call distribution, queue position announcement and custom MOH to enhance the caller experience

CDR



Allows authorised external callers/WFH user to access trunk or extension of the pbx without internet connectivity.

Part Code NXG Series SIP PBX

Model No.	SIP Use	Live Call	FXS	FXO
NXG 8000	2000	200	-- --	-- --
NXG 8412	1000	128	12	4
NXG 8428	1000	128	28	4
NXG 8032	1000	128	32	-- --

Technical Specification

NXG Series SIP PBX



Physical Interface	1x WAN 10/100/1000 2x LAN 10/100/1000	1x IMS 1x USB
Network Protocol	LAN, WAN, IPv4, IPv6, Static IP, DHCP (server & Client) N2N VPN, Open VPN ICMP , NAT, DNS, PPPoE, SMTP, ARP, VLAN, NTP, TFTP, SSH, HTTPS	
Audio Video Codecs	PCMA, PCMU, G.729, GSM, G.726, G.722, H.264, MPEG4, VP8	
LCD Display	Size : Width 28mm , Height 35mm Status : Date & Time, Live call graph , FXO-FXS Channel status	
Protocol	SIP - RFC 3261 DTMF - RFC 2833, SIP INFO, Inband Transport - UDP, TCP, TLS, SRTP API - MQTT Network - LAN, WAN, IPv4, IPv6, DHCP (Server & Client), ICMP, DNS PPPoE, SMTP, ARP, VLAN, NTP, TFTP, SSH, NAT HTTPS VPN - Open VPN , N2N VPN	
Voice Processing	SIP V2.0, RFC3261, SDP RFC2327 RTP/ RTCP RFC3551, CNG ,VAD, AGC, CPT, DTMF Signal RFC2833, SIP INFO , Inband, RFC4733, RBT 128ms Echo Cancellation, Dynamic Jitter Buffer, Silence Suppression, STUN,	
Management	HTTPS Web GUI, Backup-Restore, Firmware upload Factory Reset, Ping, PCAP , Command Control Application - Centerlised Management, DialX-Monitoring and Telephony automation	
Encryption & Security	SRTP, TLS, HTTPS, SSH, NAT, Firewall ACL, White/Block List , Session Timer, ACL, VPN, SIP Defence	
Compliance	CE - 2014/35/EU Low Voltage Directive FCC- FCC PART 15, Subpart B: 2013 Class A, EN 55022 Class ROHS- RoHS Directive (2011/65/EU)	
Operating Temperature	Operating: 32 ~ 104°F / 0 ~ 40 °C , 10 ~ 90% (non-condensing) Storage: 14 ~ 140°F / -10 ~ 60 °C	
Telephony Features	SIP Intercom, IVR, Voice Mail, VoiceMail to Email, Caller ID, DISA, ACD, Paging & Announcement, Ring Group, Call Conference , Video call, FollowMe , FindMe, Call Recording, Call Hold, Transfer, Call Park, CDR, Call Routing,, MOH , Three-way Calling, Call Queue, Call Barge,, Boss -Secretary, BLF Call Monitor, Call Waiting, Call Forward, VideoCall, Call Pickup, WebRTC Presence , DID, DOD, Time Profile, SpeedDial, AlarmClock, PhoneBooketc	
Weight & Dimension	Weight - 3.7 Kg (Without Box) 6 Kg (With Box and Accessories) Dimension - 440x239x44mm (W/D/H)	

Explore Add-on Features

Monitoring | Automation | Integration




DEVELOP YOUR OWN APPLICATION

Neron NXG Series IP PBX is equipped with an MQTT API, providing event-based communication capabilities. MQTT API allows for seamless integration with third-party applications, enabling the exchange of real-time event data. This feature enhances automation, enables custom telephony application development such as voice broadcast, auto dialing, call popup, Telephony CRM, and facilitates advanced communication scenarios for telephony system.

DIALX

Dialx, a feature-rich on-premise application software offered by Neron, provides role permission-based telephony automation for NXG Series devices. With Dialx, users can configure automated telephony event alerts and workflows based on their roles and permissions within the organization. Additionally, Dialx offers centralized Call Detail Record (CDR) and call recording management, allowing for easy monitoring and management of call recordings across multiple NXG Series devices.



COMMAND CONTROL CENTER

Command Control Center offers a centralized interface to manage large deployment of NXG Series IP-PBX and VoIP Gateways. Conveniently monitor connectivity status of the devices from a single dashboard and log in to the device console or GUI interface. This streamlined hardware management, enhances operational efficiency and simplifies the administration of the telephony infrastructure.



Neron Informatics is a research and development focused organization specializing in the manufacturing of telecom hardware and software products. Primary objective is to enhance communication infrastructure and improve productivity across various industries, Neron offers a wide range of telephony solutions tailored to meet the diverse needs of businesses, including SIP PBX systems, gateways, and headsets.

***Authorized Distributor of Neron Products
Teen Telecommunication Pvt. Ltd.***

*Address – 3rd Floor, G-57, Vikas Marg, Near Metro
Pillar No. 41, Laxmi Nagar, Delhi – 110092
Contact No – +91 9315950882 / +919212580880
Email – sales@teentelecommunication.com
Website – www.teentelecommunication.com*

**Contact us
for further inquiries**

